



T. 9, R. 3 W. 1st Mer.



T. 10, R. 3 W. 1st Mer.



Township No. 9 Range No. 3 West 1st Mer.
Indiana

North Boundary of T. No. 9 R. No. 3 W. of Mer.
1st Mile West from the N. East corner

- 6.00 a Water course 6 lks. wide, runs N 10 W, begin to rise hill
14.80 Rose the hill to a Hackberry tree 15 ins. dia.
36.50 Down a brushy hill to a Water course 25 lks. wide
runs N 3 2 E rapid & stony
37.00 Begin to rise a hill
46.82 Came to the Indian Boundary line, a Hackberry
7 ins. dia. stands for a corner, from whence a Blue Oak 8
ins. dia. bears S 65 E 30 lks. dis. & a Hackberry bush or
sapling 5 ins. dia. bears N 35 E 6 lks. dis. marked &
numbered to the plan

South Boundary of T. No. 9 R. No. 3 W. of Mer.
1st Mile West from the S. E. corner

- 11.30 a Pin Oak 20 ins. dia.
26.70 a Pin Oak 20 " "
28.00 Over wet swampy land timbered with Pin Oak
Elm & Maple, poor thin soil
32.00 Begin to descend a gradual descent
36.00 Down the descent
40.00 Rose an ascent
48.00 over level land
51.00 Descended a small hill, Over land of good quality for
small grain, came to a pond or swamp covered with
rushes & Willows
54.00 Came to a stream 6 lks. wide runs N 10 W
56.00 Crossed the swamp
60.00 Rose a gradual ascent — October 6th 1800
67.15 a White Oak 14 ins. dia.
72.2 a White Oak 13 " "
80.00 Over level land, soil 2^d rate, timbered with W. Oak &
B. Oak, set stake at the corner of Sec. No. 1 & 2 T.
No. 8 R. No. 3 W. & at the cor. of Sec. No. 35 & 36 T. No.

G. I. R. 3 W. 1st Mer.

1 R. No. 3 W. of Mer. a Black Oak 22 ins. dia.
bears N 62° E 25 lbs. dis. & a White Oak 13 " "

" S 57° W 20 lbs. dis. Marked and numbered
to the plan.

West 2nd Mile West

- 1.15 a Water course 3 lbs. wide runs N 10° E
7.20 a " " 4 " " " N 20° E
8.80 a Black Oak 16 ins. dia.
9.50 a Spring branch 4 lbs. wide runs N 40° E
21.00 a Water course 4 " " " N 60° E
33.35 a Gum 18 ins. dia. came over level land, timbered
with White & Black Oak, good soil for small grain
34.00 came to the Boundary line, set stake a Black
Oak 20 ins. dia. bears N 43° E 62 lbs. dis. & a Gum
14 ins. dia. bears S 34° W 24 lbs. dis. (Marked &
numbered to the plan— Chained 26 chs. 25 lbs.
northwardly on the Boundary line to the
44th mile post

East Boundary of G. No. 9 R. No. 3 W. North 1st Mile North from the S. East corner

- 4.92 a Maple 13 ins. dia
25.00 Over wet swampy land limbed with Pin Oak,
Maple &c.
33.60 a White Oak 18 ins. dia.
52.54 a Black Oak 22 " "
80.00 Over flat level land timbered with White Oak,
Black Oak, Hickory & Pin Oak, wet thin soil,
a small Hickory 5 ins. dia. stands for the corner
of Sec. No. 36 & 25 T. No. 9 R. No. 3 W. of Mer.
a Maple 7 ins. dia. 3 lbs. dis. bears S 54° W & a
Pin Oak 18 " " bears S 72° E 35 lbs. dis.
Marked & numbered to the plan

North 2nd Mile North

- 8.18 a Pin Oak 16 ins. dia.
 35.00 Over level land well timbered with White Oak,
 Black Oak & Hickory good soil for the cultivation
 of small grain — October 17th 1800
 36.72 Descended a small hill to a stream 5 hrs. wide
 runs S 80 E
 39.00 Roped over a small ridge to a spring branch
 58.56 a stream 4 hrs. wide runs N 62 E
 64.4 a Black Oak 14 ins. dia
 67.78 a stream runs East
 72.50 a White Oak 22 ins. dia
 80.00 Over a succession of small hills timbered with
 Oak & Hickory, soil 2^d rate — set stake at the
 corner of Sec. (No. 24 & 25 Township No. 9
 Range No. 3 W. of Mer. a Black Oak 20 ins.
 dia bears S 80 E 10 hrs. dis. & a White Oak bears
 N 8 W 24 ins. dia. 48 hrs. dis.
 Marked & numbered to the plan

North 3rd Mile North

- 21.92 a Black Oak 16 ins. dia.
 35.10 a Gum 14 ins. dia
 56.00 Over flat level land timbered with White Oak,
 Pin Oak, Ash &c.
 58.00 a White Oak 20 ins. dia
 78.00 a Hickory 12 ins. dia
 80.00 a Stake, over very rough hilly land, thin soil
 timbered with Oak, (Hickory &c. much under brush)
 A Black Oak bears S 21 E 22 hrs. dis. & a White
 Oak 18 ins. dia. bears N 30 W 30 hrs. dis —
 Marked & numbered to the plan

North 4th Mile North

- 23.10 Down a hill to a stream 25 hrs. wide runs N 68 E
 24.00 Begin to rise steep hill
 26.70 a Hickory 16 ins. dia

S. 9 R. 3. 4th. 1st Mer.

- 36.00 Rose steep hill a Black Oak 19 ins. dia
 50.00 On the side of a hill inclining to the East
 57.62 a White Oak 20 ins. dia
 63.54 Over level land to an Oak 18 ins. dia
 79.10 a Black Oak 14 ins. dia
 80.00 Over very rough, hilly land timbered with
 Oak, Hickory & some Sugar tree, set stakes at
 the N. East corner of Sec. No. 13 T. No. 9 R.
 No. 3 N. of Mer. a White Oak 14 ins. dia. bears
 S 28 E 47 lbs. dis. & a White Oak 22 " " "
 N 15 W 66 lbs. distant. Marked and numbered
 to the plan.

North 5th Mile North

- 13.30 a Sugar tree 16 ins. dia.
 20.00 Descended the hill covered with brush and some
 Sugar trees
 29.00 Over bottom land to a Water course 30 lbs. wide,
 runs N 47 W
 34.00 Begin to rise a hill
 40.5 a Black Oak 18 ins. dia
 47.00 Rose the hill
 54.92 a Black Oak 20 ins. dia - on the side of a
 hill inclining to the West
 56.00 Begin to descend a hill
 78.00 Descended the hill came to a stream 70 lbs.
 wide runs N 56 E
 80.00 Set stakes on bottom land this mile timber
 with Oak, Hickory & Sugar tree much under
 brush, soil 2^d mile - a White Oak 20 ins. dia.
 bears N 15 E 18 lbs. dis. & a Walnut 14 ins.
 dia. bears S 57 W 75 lbs. dis -
 marked & numbered to the plan

North 6th Mile North

- 8.50 Over rich bottom land timbered with Oak, Walnut &

- begin to rise a hill
- 12.80 a Blue Oak 18 ins. dia
- 23.50 Rose the hill begin immediately to descend
- 31.00 Descend hill to a Water course 8 Mts. wide, runs
N 46 E begin to rise a hill again
- 39.85 a Black Oak 28 ins. dia
- 55.00 Rose steep hill much covered with under brush
- 58.00 Begin to descend a hill
- 62.65 a Poplar 14 ins. dia
- 78.64 Over very rough land thinly timbered with Oaks,
Hickory & Sugar tree, much under brush, timber
of this mile nearly similar, thin soil, Intersected
the South Boundary of Township No. 9 Range
No. 2 West of the Mer. and fell East of the
end of said Boundary 1 chain & 50 Mts. — Set
stake at the intersection a Hickory 12 ins. dia.
bears N 69 W 76 Mts. dis. & another Hickory 16 ins.
dia. bears N 44 E 18 Mts. distant.
Marked & numbered to the plan

Indian or West Boundary of Township
No. 9 Range No. 3 West of the Mer.
Commenced at the 4th Mile post on
the Indian Boundary line, which was
run from the North bank of the Ohio River,
opposite to the mouth of Kentucky River
to Fort Recovery — course N 5.25 E
14th Mile

- 11.17 a Maple 16 ins. dia
- 62.38 an Aspen 10 " "
- 80.00 a post from which a Bottom Oak 10 ins. dia.
bears S 67 E 19 Mts. dis. & a Pin Oak 20 ins. dia
bears N 76 W 42 Mts. dis. Over level wet,
swampy land, thin clay soil, timbered with
Bottom & Pin Oak, Maple, Aspen & Hickory
with Hazel Willow & Alder under growth

J 9 R. 3 W. 1st Mer.

45th Mile

- 19.75 a Pin Oak 16 ins. dia
 20.00 Enter good farming land descends gently N. East
 37.34 an Aspen 16 ins. dia
 54.00 Descended into a small bottom
 57.00 a Stream 10 lbs. wide, runs N 30 E, then
 turns N 30 W
 80.00 Set a post from which a White Oak 22 ins.
 dia. bears S 22 1/2 W 29 lbs. dia. & a Hackberry
 12 ins. dia. bears N 15 E 7 lbs. dia. Over land
 generally proper for cultivation of middling
 quality

46th Mile

- 10.00 Enter poor land descending West
 19.83 a White Oak 16 ins. dia
 25.00 a Water course 20 lbs. wide runs N 20 E, along
 bottom, rapid water, good limestone
 53.00 a deep hollow descending East
 58.00 another steep hollow bearing East
 77.50 Crossed a small Water course descends S. E.
 80.00 a post from which a White Gum 14 ins. dia.
 bears S 49 W 12 lbs. dia. & a W. Oak 6 " "
 " S 11 E 7 lbs. dia. Over land generally
 hilly & the soil thin, timber Oak & Hickory

47th Mile

- 23.36 a White Oak 20 ins. dia. begin to descend a hill
 30.00 Crossed a Water course descending N. East &
 begin to rise a steep hill
 38.00 Rose the hill
 47.06 a White Oak 20 ins. dia
 63.50 a small Water course descends East
 80.00 a post from which a White Oak 22 ins.
 dia. bears N 59 W 27 lbs. dia. & a W. Oak 18 ins.
 dia. bears N 59 1/2 E 6 lbs. dia. Over land generally

broken with hills, well timbered with W. Oak

48th Mile

- 22.61 a Black Oak 22 ins. dia.
 48.00 Begin to descend a hill
 52.00 Go a Water course descending N. East, begin to ascend a hill
 61.00 Rise the hill
 80.00 Begin to descend, set a post from which a White Oak 15 ins. dia. bears S 62 E 7 lts. dia. & a White Oak 22 " " " N 65 W 49 lts. dia.
 Over land generally broken with hills similar to the preceding mile

49th Mile

- 11.00 a Water course descends East
 35.80 a White Oak 18 ins. dia
 77.50 Crossed a Water course descends West
 80.00 Set a post from which a Sugar tree 12 ins. dia. bears S 71 W 22 lts. dia. & a White Oak 10 ins. dia. bears N 60 E 26 lts. dia. Over land and timber similar to the preceding mile

Subdivision into Two Mile blocks

West Between Sec. No. 24 & 25

- 5.62 a Black Oak 16 ins. dia.
 10.00 Over rough land
 18.00 a Black Oak 15 ins. dia
 23.00 Over level land good soil for small grain timber with Oak & Hickory
 25.79 a Water course 3 lts. wide runs S 30 W
 41.60 " " " 3 " " " S 30 W
 63.44 a Black Oak 14 ins. dia
 77.00 Same over rough hilly land timbered with Oak, Hickory & some Sugar tree, a stream 15 lts. wide, runs N 20 E

S. 9 R. 3 W. 1st Mer.

80.00 Pass the side of a hill, set stake at the corner of sec. No. 24, 25, 23 & 26 T. No. 9 R. No. 3 W. of Mer. A Black Oak 14 ins. dia. bears N 73 E 8 lks. dis. & a White Oak 30 ins. dia. bears N 74 W 25 lks. dist. Marked & numbered to the plan

West Between Sec. No. 23 & 26

4.98 a White Oak 16 ins. dia
 10.59 Came to the Indian boundary line, Over rough land, set stake a White Oak 14 ins. dia bears S 8 E 10 lks. dis. & another White Oak 17 ins. dia. bears N 16 E 15 lks. dis. Marked & numbered to the plan
 N. B. 17.72 Northwardly on the boundary line to the 46th Mile post

West Between Sec. No. 12 & 13

4.00 a White Oak 20 ins. dia
 18.00 Over level good soil timbered with Oak, Hickory, Sugar tree &c. begin to descend a hill
 29.60 Descended a hill to a water course 6 lks. wide, runs N 30 E
 31.00 Begin to rise another hill
 40.00 Pass the hill
 52.8 a Poplar 18 ins. dia
 62.50 a Stream 3 lks. wide runs South
 67.18 Over land sufficiently level for cultivation timbered with White Oak, Hickory, Poplar &c, Soil white, set stake at the Boundary line - a B. Oak 12 ins. dia. bears N 26 E 25 lks. dis. & a Qu. Asp 18 " " S 58 E 18 lks. dis. Marked and numbered to the plan - 14.06 lks. to the 48th Mile post on the Boundary
 Surveyed by Wm Ludlow 1800

T. 9 R. 3 W. 1st Mer

2 mile blocks in

Subdivisions of T. No. 9 R. (No. 3 W. of Mer
West Between Sec. No. 1 & 1240.00 Set $\frac{1}{4}$ sec. post from which a W. Oak 18 ins.
dia. bears N 72° W 22 lks. dis. & a Dogwood 14 "
" " S 30° W 6 lks. dis.56.64 To Indian Boundary - Set post from which
a W. Oak 30 ins. dia. bears S 75° E 30 lks. dis. &
a W. Oak 14 " " " N 60° W 6 " "
Hilly 3rd rate, Oak, Hickory &c

West Between Sec. No. 13 & 24

35.00 a Water course 18 lks. wide, runs N 70° E

40.00 Set $\frac{1}{4}$ sec. post from which a B. Walnut 18
ins. dia. bears S 56° E 29 lks. dis. & an Elm 15 "
" " " S 24° W 19 " "79.45 To Boundary line, Set post from which a
W. Oak 8 ins. dia. bears N 56° W 6 lks. dis. & a
Hickory 18 " " " S 88° E 26 " "
Hilly 3rd rate land poorly timbered

West Between Sec. No. 25 & 36

35.00 a Water course 5 lks. wide runs S 60° W

40.00 Set the temp. $\frac{1}{4}$ sec. post

60.50 a Stream 18 lks. wide runs S 10° E

80.00 Set the temp. centre post, Poor 3rd rate land,
Oak, Ash, Hickory, Maple &c

West Continued West between Sec. No. 26 & 35

21.23 To boundary line, Set post from which a
Maple 5 ins. dia. bears S. East 9 lks. dis. & an
Elm 5 " " " N. East 20 " "
Poor 3rd rate land, Oak, Ash, Elm &c

South On Random between Sec. No. 25 & 26

8.50 a Water course 5 lks. wide -

33.00 a " " 14 " " runs S 70° E

G. 9 R. 3 Mt. 1st Mer.

- 40.00 Set the $\frac{1}{4}$ sec. post
 80.00 Set the temp. centre post - The first $\frac{1}{2}$ rough - the last $\frac{1}{2}$ conveniently level, timber Oak, some Oak, 3^d rate soil. at the end of the line is a lick

South Continued between Sect. (No. 35 & 36

- 37.00 a Spring branch runs S 50 E
 30.00 a Water course 5 lks. wide, runs East
 40.00 a Spring branch runs N 70 E, and temporary $\frac{1}{4}$ sec. post
 61.00 a Spring branch runs East
 75.50 a Water course 8 lks. wide, runs East
 80.10 To old line, hit the post within 5 lks. West Level 2^d rate land, Oak, Michong &c

North Returned & marked between Sect. (No. 35 & 36
 Moved $\frac{1}{4}$ sec. post at average distance, from which a W. Oak 16 ins. dia. bears N 40 W 37 lks. dis. & a B. Oak 12 ins. dia. bears S 59 E 36 lks. dis.

Came to centre post from which a Michong 6 ins. dia. bears N 23 E 19 lks. dis. & a W. Oak 13 " " " S 55 W 9 " "

North Continued between Sect. (No. 25 & 26 & set $\frac{1}{4}$ sec. post - from which a W. Oak 9 ins. dia. bears N 54 E 18 lks. dis. & a B. Oak 20 ins. dia. bears S 71 W 36 lks. dis.

North Continued between Sect. (No. 23 & 24

40.00 Set $\frac{1}{4}$ sec. post from which a W. Oak 13 ins. dia. bears N 52 W 34 lks. dis. & a W. Oak 13 "

" " S 52 E 24 " "

50.00 a Water course 12 lks. wide, runs S 60 E

77.00 To Boundary line, set post, from which a

Michong 12 ins. dia. bears N 41° W 23 fms. dis.
 & a W. Oak 6 " " " S 50° E 24 fms. dis
 Hills, 3^d rate - W. Oak. Michong &

East Traveled between Sec. (No. 25 & 36 and set
 14 sec. post at average distances from which
 a W. Oak 14 ins. dia. bears S 46° W 9 fms. dis.
 & a W. Oak 14 ins. dia. bears S 57° E 9 fms. dis

September 23rd 1805

1805-Surveyed by

William Ludlow J. G.

Certify that the foregoing Transcript of
 the Field notes of Township No. 9 Range No. 3
 West of the 1st Mer. has been compared with the
 original in this office & found to be correct.

Surveyor General's office

Cincinnati, Feb. 10. 1847

E. S. Leary
 Surveyor